

引

部控制审计报告

页

1-

系
内

盛和兴控股股份有限公司
2022 年度
内部控制审计报告

卷之八

卷之八

卷之八

卷之八

卷之八

卷之八

卷之八

卷之八

卷之八

卷之八

卷之八

卷之八

卷之八

卷之八

卷之八

四、财务

我们认定
关规定在

信永生



申

2022年12月31日参照《全国
法院财务收支内部控制

十、同改委会议

十、量手委会议

二〇二三年四月

1999年12月



2000

2001

2002

2003

2004



2005





Figure 1. The effect of the initial concentration of the monomer on the polymerization of *l*-lysine. The polymerization was carried out at 40 °C for 24 h in the presence of 0.05 mol/L of the initiator. The initial concentration of the monomer was 0.05 mol/L. The polymerization was carried out in the presence of 0.05 mol/L of the initiator. The initial concentration of the monomer was 0.05 mol/L.

Figure 1. The effect of the concentration of the *Agrobacterium* suspension on the transformation efficiency of *Agrobacterium* strains.


Figure 1. The effect of the concentration of the *Agrobacterium* suspension on the transformation efficiency of *Agrobacterium* strains.

Abstract—The purpose of this study was to determine the effect of a 12-week training program on the heart rate (HR) and heart rate reserve (HRR) of sedentary middle-aged men. The subjects were randomly assigned to a control group (CON) and an exercise group (EX). The EX group performed a 12-week training program consisting of three sessions per week. The HR and HRR were measured at rest and during submaximal and maximal exercise at baseline and after 12 weeks. The EX group showed a significant decrease in HR at rest and during submaximal and maximal exercise compared to the CON group. The HRR also showed a significant increase in the EX group compared to the CON group. The results of this study suggest that a 12-week training program can improve the cardiovascular fitness of sedentary middle-aged men.



100

Figure 1. The effect of the number of trials on the number of correct responses. The number of correct responses was significantly higher for the 10 trials condition than for the 5 trials condition. Error bars represent the standard error of the mean.




2014年12月15日

© 2004 by The McGraw-Hill Companies, Inc. All rights reserved. Printed in the United States of America. This book is printed on acid-free paper.

Figure 1. The effect of the concentration of the *Agaricus bisporus* spores on the growth of *Agaricus bisporus* on the substrate. The concentration of the spores was 10⁴ spores/g substrate (a), 10⁵ spores/g substrate (b), 10⁶ spores/g substrate (c), 10⁷ spores/g substrate (d), 10⁸ spores/g substrate (e), 10⁹ spores/g substrate (f), 10¹⁰ spores/g substrate (g), 10¹¹ spores/g substrate (h), 10¹² spores/g substrate (i), 10¹³ spores/g substrate (j), 10¹⁴ spores/g substrate (k), 10¹⁵ spores/g substrate (l).



11528




统一社会信用代码

中国图书出版业

1917 44 111

说明



中国图书出版业

1917 44 111

中国图书出版业

中国图书出版业




中国图书出版业

年度檢驗登記
Annual Renewal Registration



姓名
性別
年齡
學歷
職業
住址
電話
傳真
郵政信箱
電子郵件
其他



姓名
性別
年齡
學歷
職業
住址
電話
傳真
郵政信箱
電子郵件
其他

姓名
性別
年齡
學歷
職業
住址
電話
傳真
郵政信箱
電子郵件
其他

姓名
性別
年齡
學歷
職業
住址
電話
傳真
郵政信箱
電子郵件
其他

姓名
性別
年齡
學歷
職業
住址
電話
傳真
郵政信箱
電子郵件
其他

姓名
性別
年齡
學歷
職業
住址
電話
傳真
郵政信箱
電子郵件
其他

姓名
性別
年齡
學歷
職業
住址
電話
傳真
郵政信箱
電子郵件
其他

姓名
性別
年齡
學歷
職業
住址
電話
傳真
郵政信箱
電子郵件
其他

姓名
性別
年齡
學歷
職業
住址
電話
傳真
郵政信箱
電子郵件
其他

姓名
性別
年齡
學歷
職業
住址
電話
傳真
郵政信箱
電子郵件
其他

<p>五、实验结论</p> <p>通过实验，我们观察到，在红角尺一端，当红角尺与物体接触时，物体发生形变，且形变的大小与红角尺的倾斜角度有关。当红角尺的倾斜角度增大时，物体的形变也增大。反之，当红角尺的倾斜角度减小时，物体的形变也减小。这说明，物体的形变与外力的大小成正比。</p>	<p>五、实验结论</p> <p>通过实验，我们观察到，在红角尺一端，当红角尺与物体接触时，物体发生形变，且形变的大小与红角尺的倾斜角度有关。当红角尺的倾斜角度增大时，物体的形变也增大。反之，当红角尺的倾斜角度减小时，物体的形变也减小。这说明，物体的形变与外力的大小成正比。</p>
---	---

